

**"Dwar"**



***FIRE RATED FLUSH DOOR***

***FLUSH DOOR***

***HDF MOULDED SKIN DOOR***

***HDF VENEER MOULDED SKIN DOOR***


***HDF MELAMINE SKIN DOOR***

***LAMINATED FLUSH DOOR***

***VENEER FLUSH DOOR***

***SOLID WOODEN DOOR***

## ***FIRE RATED FLUSH DOOR***



The Classe, Fire Rated Doors are "COMPOSITE FIRE DOORS", designed and made with proper care, with ratings of 1/2 hr., 1 hr. and 2 hrs. The species of timber to be used for door frame is Teak- wood with specific gravity above 0.6 or Hardwood wit specific gravity 0.7 and above. All the Door Frame components are treated with fire retardant cum antiseptic chemicals under vacuum pressure and dried to the desired moisture content.

### ***SPECIFICATIONS:-***

Thickness Standard - 32mm (Standard)

35mm/38mm/40mm ( Against Order)

Height - (Inches) - 78" / 81" / 84".

Width - (Inches) - 30" / 33" /36"/38"/40"

Customization of Door sizes is possible.

# FLUSH DOOR



5 Ply Construction



Water Proof  
Flush Door LLCFD



Resin coated  
Flush Door LLCRCF

## DESCRIPTION

Flush Doors are high density phenol formaldehyde resin based block board doors that act as excellent insulators to keep out dust, heat and noise. We use hardwood timbers of durable and quality combined with anti borer, anti termite and anti fungus treatments to produce stable and long lasting doors.


### STILE AND RAIL

1. Hard wood
2. Pine wood
3. Teak wood

### FILLERS

1. Honeycomb core
2. Solid particle board
3. Tubularboard
4. Pine wood
5. Hard wood

# **HDF MOULDED SKIN DOORS** **(High Density Fibre based)**



The HDF door skins ensures consistency in quality standards at the highest level. The range constitutes select design options, created from precisely crafted moulds from Germany for perfect finish highlighting the effects of the textures and shapes. A range of Melamine faced Decorative Door skins totally eliminates the hassels of Painting and Polishing associated with the conventional door skins and which is impervious to moisture.



**SOLID PARTICLE BOARD**



**HONEYCOMB CORE**



**TUBULAR BOARD**

Moulded panel doors incorporate quality accredited one piece facings, offering excellent appearance and performance. They are available in a wide choice of designs, sizes and core constructions, making them a versatile door choice.

## **SPECIFICATIONS:-**

Thickness Standard - 32mm (Standard)

35mm/38mm/40mm ( Against Order)

Height - (Inches) - 78" / 81" / 84".

Width - (Inches) - 27" / 31" /34"/37"/40"/42"

Customization of Door sizes is possible.



LLCS 2PANEL




LLCS 4PANEL



LLCS 6PANEL



LLCS3PANEL  
OVAL



LLCS ASIAN  
FASHION



LLCS TRU OAK

# HDF VENEER MOULDED SKIN DOOR



Veneered flush doors have high quality natural timber veneers, laid over and concealing the timber edge lipping. A wide selection of veneer range is available to suit every style at home. The Classe range of decorative Veneer Flush doors are doable in various wooden species of Veneers. Veneered flush doors create a coordinated wood ambience.

Each door is crafted to the highest standards using natural wood veneer and durable wood backed by world class technology and advanced manufacturing process. For replacement use or high quality new build applications wood veneered doors offer an established and 'no fuss' design solution. The Classe range of decorative Veneer Flush doors are doable in various wooden species of Veneers.

## **SPECIFICATIONS:-**

Thickness Standard - 32mm (Standard)

35mm/38mm/40mm ( Against Order)

Height - (Inches) - 78" / 81" / 84".

Width - (Inches) - 30" / 33" /36"/38"/40"

Customization of Door sizes is possible.



LLCVS  
2PANEL



LLCVS  
4PANEL




LLCVS  
6PANEL



LLCVS  
3PANELOVAL

# HDF MELAMINE MOULDED DOOR



LLCH FLOWER 2P

LLCH FLOWER 9P

LLC H 2P



LLC H  
METALLIC 01

LLC H  
METALLIC 02

LLC H  
SMOOTH 01

LLC H  
SMOOTH 02

# LAMINATED FLUSH DOOR



Conforming to IS 2202 (Part 1), The Classe Laminated Flush Doors include a wide range of premium laminated borer-proof doors made by mechanised manufacturing process which offers uniform thickness without undulation, warping or bending. Available in both one-side and both-side laminated options with 1mm HPL and conforming to IS 2046 The Classe Laminated Flush Doors offer dimensional accuracy and stability in varying humidity, have high screw holding capacity, high shock and buckling resistance.

These High Pressure Decorative Laminates make your interiors look gorgeous without any effort and they also form an exclusive range a range of charming wooden grain patterns with a touch of elegance.

## SPECIFICATIONS:-

Thickness Standard - 32mm (Standard)  
35mm/38mm/40mm ( Against Order)

Height - (Inches) - 78" / 81" / 84".

Width - (Inches) - 30" / 33" /36"/38"/40"

Customization of Door sizes is possible.



LLCLM 101

LLCLM 102

LLCLM 103

LLCLM 104



LLCLM 105



LLCLM 106



LLCLM 107



LLCLM 108



LLCLM 109



LLCLM 110



LLCLM 111



LLCLM 112



LLCLM 113



LLCLM 114




LLCLM 115



LLCLM 116



LLCLM 117



LLCLM 118



LLCLN 119



LLCLN 120



LLCLN 121

LLCLN 122

LLCLN 123

LLCLN 124



LLCLN 125

LLCLN 126

LLCLN 127

LLCLN 128



LLCLN 129



LLCLN 130



LLCLN 131



LLCLN 132



LLCLN 133



LLCLN 134



LLCLN 135



LLCLN 136



LLCLT 137



LLCLT 138



# VENEER FLUSH DOOR



LLC VF 01



LLC VF 02



LLC VF 03



LLC VF 04



LLC VF 05



LLC VF 06



LLC VF 07



LLC VF 08

# VENEER FLUSH DOOR



LLC VF 09



LLC VF 10



LLC VF 11



LLC VF 12



LLC VF 13



LLC VF 14



LLC VF 15



LLC VF 16



## SOLID WOODEN DOOR

Our Solid wood entry doors all start from premium grade components , are kiln dried and then colour-matched manually prior to assembly. Expert craftsmanship,hand applied multiple step finish and time proven engineered design result indoors of unsurpassed quality and beauty.

For centuries, natural wood has been used to create a perfect combination of beauty and durability. Each piece of wood is truly unique and naturally becomes the best choice for a sophisticated and individual look. And each species has its own distinct personality and feel. As to pure aesthetics, one will not find another material matching the charm of wood. Various artificial composite materials are out there trying to mimic it, but none have been able to capture the warm texture and beautiful depth of the real thing. Wood is also a practical choice.It is known for superb insulation qualities.When properly finished and maintained, wood is exceptionally durable and resistant to time and elements.Moreover, wood is a naturally renewable resource.

### SOLID WOODEN DOOR TYPES

1. Single Door

2.Double Door

3.Carving Door

4.Pooja Door

We offer some of the world's finest wood species, just to name a few:

Afrormosia  
American Ash  
Beech  
Wenge

Burma Teak  
Ghana Teak  
Merbau / Kwila  
Padouk

Red Meranti  
Red Oak  
Sudan teak  
Walnut

Sycamore  
Tanzania Teak  
White Oak

# SOLID WOODEN SINGLE DOOR



LLCSD 01



LLCSD 02



LLCSD 03



LLCSD 04



LLCSD 05



LLCSD 06



LLCSD 07



LLCSD 08

# SOLID WOODEN SINGLE DOOR



LLCSD 09



LLCSD 10



LLCSD 11



LLCSD 12



LLCSD 13



LLCSD 14



LLCSD 15



LLCSD 16

# SOLID WOODEN SINGLE DOOR




LLCSD 17



LLCSD 18



# SOLID WOODEN DOUBLE DOOR



LLC DD 01



LLC DD 02



LLC DD 03



LLC DD 04



LLC DD 05

# SOLID WOODEN POOJA DOOR



LLC PD 01



LLC PD 02



LLC PD 03



LLC PD 04



LLC PD 05



LLC PD 06



LLC PD 07

# SOLID WOODEN CARVING DOOR




LLCCD 01



LLCCD 03



LLCCD 04



LLCCD 05



LLCCD 06



LLCCD 07



LLCCD 08



LLCCD 09

# SOLID WOODEN CARVING DOOR



LLCCD 10



LLCCD 11



LLCCD 12



LLCCD 13



# GROOVES




LLC  
GROOVE 01




LLC  
GROOVE 02




LLC  
GROOVE 03




LLC  
GROOVE 04




LLC  
GROOVE 05




LLC  
GROOVE 06




LLC  
GROOVE 07



LLC  
GROOVE 08




LLC  
GROOVE 09



LLC  
GROOVE 10



LLC  
GROOVE 11



LLC  
GROOVE 12



# "Dwar"

## OFFICE

F-02 Smart Avenue 80 Feet Road  
Indiranagar Bangalore 560038.

PH- +91 8494970007 , +91 8884469969

[a2amarketing66@gmail.com](mailto:a2amarketing66@gmail.com)

[www.a2amarketing.in](http://www.a2amarketing.in)