


www.wonderfloor.co.in

Timberland Maestro

3.00 mm



TM 01



TM 02




TM 03 ★ DUAL TONE SHADE



TM 04 ★ DUAL TONE SHADE



TM 05 ★ DUAL TONE SHADE



TM 06



TM 07



TM 08

WONDERFLOOR
Vinyl Flooring

www.wonderfloor.co.in

Luxury Vinyl Planks

PRIME
SERIES



Timberland Maestro

High Performance Luxury Flooring

Made in India

Timberland Maestro



Fire Resistant



Termite Proof



Environment Friendly



Moisture Proof

Luxury Vinyl Planks

Easy to install

Recommended areas for installation

- Hotels
- Guest Houses
- Restaurants
- Cafeterias
- Schools
- Home
- Office



When you install Wonderfloor products you are helping nature by minimising the usage of wood and natural stones. Our floorings are recyclable which contribute towards conserving nature.



WONDERFLOOR - The world-class vinyl flooring is a quality product from RMG Polyvinyl India Limited, an ISO 9001:2015 systems certified company. We are the largest manufacturer & exporter of PVC floor coverings, film, sheeting and artificial leather. We manufacture a wide range of vinyl flooring in state-of-the art plant & machinery equipped with latest technology and optimum quality control. Wonderfloor has a wide sales distribution network across India.

PERFORMANCE CHARACTERISTICS

CHARACTERISTICS	TEST METHOD	TIMBERLAND MAESTRO RESULTS
TYPE OF FLOORING	EN649	RESILIENT FLOORING
OVERALL THICKNESS	EN 428	3.00 mm
DIMENSION (SIZE)	EN 427	152.4mm X 914.4mm (6" X 36") 228.60mm x 914.4mm (9"x 36")**
SQAURENESS	IS: 3464	≤ 0.25 mm
WEAR LAYER		0.30mm (HEAVY DUTY)
DENSITY	EN 430	5250 g/m ²
DIMENSIONAL STABILITY	EN 434	≤ 0.25 mm
RESIDUAL INDENTATION	EN 433	≤ 0.10 mm
FLEXIBILITY	EN 435	NO CRACKING USING 20 mm mandrel
COLOR FASTNESS	ISO 105 B02	CLASS 6
FIRE RATING	EN 13501 - 1	Bfl-S1
HORIZONTAL & VERTICAL BURNING TEST	IS 15061 - 2002	PASS (ARAI)
PERFORMANCE CLASSIFICATION	EN 685	31/32
ABRASION RESISTANCE	EN: 660-2	Wear Group T
SOUND ABSORPTION	ISO 140-8/EN ISO 717-2	ΔLW=4db
SLIP RESISTANCE	DIN 51130	R9
BEARING CASTOR CHAIR	EN 425	SUITABLE / CONTINUOUS USE
SURFACE PROTECTION	PUR	PUR
PATTERN		WOOD and CLASSIC
No. of pcs per BOX & AREA of BOX		16 pcs / box = 2.23 sqm/ box

** Against Bulk Order

MAINTENANCE

Do's: • After laying of flooring, the surface should be cleaned daily with damp mop and weekly or fortnightly with soap solution • Prevent point load indentation by covering your furniture legs with rubber stopper caps • To remove stubborn stains, rub the affected area immediately with a soft coir brush or fine steel wool soaked in a warm soap solution • Scuff marks on the floor can be removed with little application of diesel • Use door coir or suitable mats to minimize accumulation of dust on Wonderfloor vinyl flooring • Use water to remove any chemical spill on flooring.

Don'ts: • Do not use any strong detergent, harsh cleaning agent or dry steel wool • Throwing of lighted cigarette butts or match sticks on the floor should be avoided as it could lead to burn marks on the floor • Do not drag any heavy object or furniture on the flooring to avoid scratches on the floor.

For institutional/bulk enquiries, please e-mail : mkt@rmgpoly.com

or call : +91 9711200510

For export enquiries, please e-mail : info@rmgpoly.com

or call : +91 9873138885



RMG POLYVINYL INDIA LIMITED

Registered Office : UGSR 4, Ansals Plaza, Sector 1, Vaishali Ghaziabad 201 010, (U.P) INDIA. Tel.: +91 120-4284802/803/804/805/806.

Fax: +91 11 66173679. E-mail: info@rmgpoly.com

Regional Offices : • Ahmedabad: +91 9377262959 • Bangalore: +91 8088083037 • Bhubaneswar: +91 9337423999 • Chennai: +91 9380353335
• Chandigarh 91 9999143706 • Guwahati: +91 8822021287 • Hyderabad: +91 9533791422 • Indore: +91 7838590904
• Kolkata: +91 9582538009 • Kochi: +91 8893191421 • Lucknow: +91 9026708007 • Mumbai: +91 9323675979
• Pune: +91 9595191421 • Patna: +91 8252110100

WONDERFLOOR is the registered Trade Mark of RMG Polyvinyl India Limited www.wonderfloor.com

